



Flexitallic Alternatives to Durlon Sheet Materials
Contact Flexitallic Technical Department for Materials Not Listed

Material	Alternative	Comments
Durlon 8300	SF5000	8300: Carbon, NBR SF5000: Carbon, Aramid, NBR
Durlon 8400	SF3300	8400: Phenolic, NBR 3300:Aramid/glass, NBR (functional equivalent)
Durlon 8500	SF2401	8500: Aramid, Inorganic, NBR SF2401: Synthetic, NBR
Durlon 8600	SF2420	8600: Aramid, Inorganic, SBR SF2420: Synthetic, SBR
Durlon FGS95	Flexicarb LS	Graphite w/ no reinforcement
Durlon FGL316	Flexicarb SR	Graphite w/ 316SS foil core
Durlon FGT316	Flexicarb ST	Graphite w/ 316SS tang core
Durlon 9000	Sigma 500, Sigma 511	PTFE, Inorganic; Durlon 9000 contains glass like Sigma 500 but its compressibility is more comparable to Sigma 511
Durlon 9200W	Sigma 533	PTFE, Barium sulfate
Durlon 9600	Fluoroseal	9600 sheet vs. Fluoroseal joint sealant